Latest developments in climate prediction.net

Andy Bowery

BOINC Workshop Grenoble 2013





Overview of talk

- Introduction to climate prediction.net
- Remote workunit submission
- Ongoing work
- New website



Introduction to climate prediction.net

- climate prediction.net has recently passed the 10 year milestone
- climate prediction.net is the world's largest climate modelling facility, no other climate science group is able to run so many simulations on a study
- For example, in climate prediction. net a typical ensemble size for a study is of the range of thousands (for example: 2,000 simulations, 4 x 500 parameter sets)
- This is compared to the UK Met Office QUMP study which is looking at perturbed physics parameters, in this study 128 simulations have been run

What do we study in climate *prediction*.net?

- A large amount of research has been done on global mean temperature, but the greatest impacts are likely to be seen at local/regional scales (this is especially with regards to extreme events)
- We also want to investigate how **the risk of extreme weather events** has changed due to human influence -> so-called 'event attribution experiments'
- And how the climate might change in the future with higher levels of CO2, SO2, Ozone emissions
- Two types of studies:
 - perturbed physics (to study the uncertainty arising from how we represent physical processes in the model) -> 500 different arrangements of 12 parameters are used
 - initial conditions perturbations -> model's initial state of atmosphere is uncertain (aka 'the butterfly effect') -> can sample many possible initial states of the model given the forcings



Why do we use BOINC?

- Most climate science based on probabilistic results -> a distribution of scenarios is needed
- -> BOINC framework **allows large number of models** (order of thousands) to be run
- -> This allows experiments to be designed to be large enough so that missing results do not matter
- -> We can get a better handle on uncertainties, especially with extreme events, which may occur for example, 1 in 100 years or 1 in 1000 years



Current applications in climate prediction.net

- We currently have three applications that are being used for studies, all use computational models developed at Hadley Centre in the UK Meteorological Office:
- A Weather At Home European region application -> a European regional model nested in a global model -> runtime of 4.5 days (average) -> each workunit produces 13 upload files
- A Weather At Home Pacific North West region application -> A North Western US regional model nested in a global model -> runtime of 4.5 days (average) -> each workunit produces 13 upload files
- A HadCM3 coupled atmosphere-ocean application -> runtime of 1 month (average) -> each workunit produces 4 upload files
- Accessing these large numbers of files is time consuming for remote collaborators





Workunit Submission

- Collaborators in the climate prediction. net project are distributed across a number of countries: New Zealand, Australia, US, and India
- Currently all new workunit submissions go through myself
- In the longer term we want to decentralise the project out to collaborators to remove this dependency and to enable the collaborators better access to their data
- We need a mechanism for collaborators to be able to:
 - test work remotely
 - remotely submit work to the main site
 - receive completed results directly to their home machine organised by study






Remote Workunit Submission

- Solution -> the production of a new portal for remote submission of new workunits. Portal built with the PHP Cake framework and the BOINC api
- A request ID given to each group of workunits submitted
- Request ID is part of the workunit name -> enables the linking of an individual workunit to the originating request and enables the organisation of the returned uploaded files
- Users limited to a maximum number of workunits submitted per request
- Users upload to the portal both the workunit defining XML file and the supporting data files for the workunits -> There is one XML file per request
- Users are organised into research groups
- Queuing mechanism allows multiple users to submit at the same time






Portal - Workflow








Portal – Upload submission files







Portal – Submit group of new WUs






climate prediction.net



Portal – List all files uploaded










Portal – View submissions










Portal – View all uploaded files









Future plans with the workunit submission portal

- Include the ability to automatically report back on progress of workunits to the submitter
- Include the ability to actively manage workunits
- Require all groups of workunits submitted to the main site to be linked to successful test groups




Ongoing and future work in CPDN

- We are currently working on upgrading the version of BOINC used by the project to version 7
- We have a number of upcoming new applications:
- Weather At Home South Asia region application -> to study the climate over the Indian subcontinent in detail -> the development of this application is in progress
- Weather At Home Africa region application -> to study the climate over Africa in detail looking at changes in the likelihood of extreme weather events in Africa -> development of the application is in progress
- Changed backend servers -> now running 50% on VMs



New climate prediction. net website





climate prediction.net



BOINC wish list

Wish list:

 Functionality to enable moderators of the forum to be identified as a distinct team, perhaps by a special user flag, this would enable them to communicate privately between each other, whilst still being able to be members of other teams



Thanks!

And lastly...

The work of climate prediction. net is not possible without the participation of volunteers, thank you to all our volunteers!

